



LPG SMART SYSTEM

DLG-400

ADVANTAGES

- Fluid measurements
- Steam measurements
- Fluid density, level, volume and mass
- Steam density, volume and mass
- Tank completion and capacity
- Propane/butane concentration
- Alarms system


APPLICATIONS

- Terminals
- Filling stations
- Barges
- Tanker trucks
- Underground and aboveground storage tanks
- Refinery


IN PROCESS TO EXCELLENCE

Specifications

Level Measuring Range, mm	Up to 4000
Level Measuring Accuracy, mm	±1
Level Measuring Resolution, mm	0.3
Density Operating Range, g/cm ³ (kg/m ³)	0.475...0.700 (475...700)
Accuracy, g/cm ³ (kg/m ³)	±0.00025 (±0.25)
Repeatability, g/cm ³ (kg/m ³)	±0.0001 (±0.1)
Process Temperature Range, °C (°F)	-40 to +85 (-40 to +185)
Temperature Accuracy, °C (°F)	±0.1 (±0.2)
Temperature Resolution, °C (°F)	±0.05 (±0.1)
Temperature Measurement	Built-in high accuracy 4-wire PT-1000 DIN 43760 Class A
Ambient Temperature Range, °C (°F)	-40 to +85 (-40 to +185)
Weather Rating	IP68
Analog output	Up to 3 x isolated 4 - 20 mA, direct or reverse-acting, configurable, customized
Digital output	User choice of signals and protocols: RS485; RS232; Modbus; etc...
Quality Assurance	ISO 9001:2008; EN 61326 ; EN5011; EN 50082-2-compliant
Factory Calibration	Calibration certificates supplied as standard
Hazardous area	ATEX II 1/2G Ex ia IIB T4; IEC Ex ia IIB T4 Ga /Gb; CCE certificate




INSTALLATION



ACCESSORIES

PANEL PC (TOUCH SCREEN)



SOFTWARE

- Receiving of level, density and temperature values from Terminal Box via cable
- Calculating of product/steam volume and mass; tank completion
- Calculating of propane/butane concentration
- Calculating of temperature-compensated density values
- Calculating of relative/referred density of product on the base of built-in tables
- ALARM system
- Various formats for data reading
- Storage of the measured and calculated values in the database tables
- Conversion of the database tables to EXCEL format and printing the results
- Up to 16 tanks monitoring (another tanks quantity is optional)

For more information please visit LEMIS process web site!



USA

LEMIS USA, Inc.
2121 Golden Road, Suite 2A
The Woodlands
TX 77380, USA
Ph.: +1 281 465 8441
Fax: +1 281 465 8224

EUROPE

AS LEMIS Baltic
26 Ganibu dambis
Riga, LV-1005
Latvia , EU
Ph.: +371 6738 3223
Fax: +371 6738 3270

INDIA

LEMIS India PVT LTD
603, Platinum Technopark, Plot - 17/18
Sector-30A, Vashi
Navi Mumbai-400705, INDIA
Ph.: +91 22 6721 5655
Fax: +91 22 6794 2666

E-mail: info@lemis-process.com